CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG    888888       11       222222                GGGGGGG
GG         88    88     111      22    22              GG
GG         88    88      11             222            GG
GG  GGGG    888888       11           222              GG  GGGG
GG    GG   88    88      11         22                 GG    GG
GG    GG   88    88      11       22                   GG    GG
 GGGGGG     888888    11111111   22222222               GGGGGG
```

CROSSTABS

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JBSG

77/04/03. 16.52.32.

DCON, DCONCL, DMR

DPAR, DPAE, DPAM BY

SKIDS BY GENSER

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDTP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

DATA DOCUMENTS/INC. 55-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
CROSSTABS      VARIABLES=DCON(0,7),DCONCL(0,7),DMR(0,7),DPAR(0,7),DPAE(0,7),DPAM
               (0,7)/SKIDS(0,6)/GENSER(0,5)/TABLES=DCON,DCONCL,DMR,DPAR,DPAE,
               DPAM BY SKIDS BY GENSER
STATISTICS     ALL
READ INPUT DATA

  046200 CM NEEDED FOR CROSSTABS
```

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/03.)

* CROSSTABULATION OF *

DCON BY SKIDS

CONTROLLING FOR.. GENSER

VALUE.. 1 → First of Family

* * * * * * * * * * * * * * * * * * * \

ETA = .26446 WITH DCON DEPENDENT.
ETA = .23156 WITH SKIDS DEPENDENT.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

TRIAL RUN FOR THE PARLEMENT 77/04/03. PAGE 7

FILE PARIS (CREATION DATE = 77/04/03.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

DCON BY SKIDS

CONTROLLING FOR..

GENSER VALUE.. 2 → ONG GENERATION

* * * * * * * * * * * * * * * * * * \

ETA = .18622 WITH DCON DEPENDENT.
ETA = .19104 WITH SKIDS DEPENDENT.

DATA DOCUMENTS/INC., SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER